




Reliability is our heritage,
Quality is our tradition.

37
years
OF MANUFACTURING
EXPERIENCE

ALCOTM

LADDERS



LEADER IN PROFESSION


For more than **35 years**, our valued customers have trusted the ALCO Ladders brand to deliver superior climbing equipment. We manufacture a full line of professional grade products built to last for generations while withstanding the most challenging jobs.

ALCO Ladders is proud to be an ISO 9001 - 2015 certified establishment from 2006 and stands as the pre-eminent supplier to industry; with new designs, enhanced flexibility.

Since 1985, ALCO Ladders have grown from a local ladder manufacturer to become a renowned leader in the industry based in India. Its name is synonymous with quality, dependability and durability in the industrial ladder market.

We having the leanest, most efficient and flexible sourcing, manufacturing and distribution methods to date allows ALCO Ladders to competitively lead the ladder market.

From its efficient plant and distribution center in Chengannur and regional warehouses in different sites, ALCO Ladders is always looking to make life easier to its customers. We can fully support your ladder needs. Whether for industry-standard or special products, in quantities large or small, ALCO Ladders are always provided with the best service in the industry.



ALCO



CLIMBING EQUIPMENT

ALCO Ladders continually rises above the competition in the development of product innovations. We combine end user research with industry-leading manufacturing technologies to build ladders with the highest level of safety and productivity

ALCO Ladders is committed to continually reviewing and enhancing our product line. We know work can be tough, and we want to make it as easy as possible. That's why our ladders are designed and built for the pro.

ALCO Ladders can be found on trucks traveling to and from work every day. The ALCO Ladders oval might be under a layer of dirt and grime, but it's there and always on the job. From large-scale construction to professional painting, ALCO Ladders have been tested and proven to meet the demands of work sites everywhere. Across the job sites ALCO is preferred more than any brand because innovation, safety and durability are built into every product.

Mission

We strive to offer our customers the high-quality products and services at reasonable prices, the best available selection, and the utmost convenience.

Vision

Committed to excellence and always seeking to “Exceed Expectations” on every facet of our business.



ALCO




Quality Standards

ALCO Ladders are made from high tensile aluminium alloys, designed and manufactured to strictest quality standards with a common goal of making the possible safest ones. Our products are backed by years of state-of-the-art product design through testing and evaluation techniques.

Safety Measures

Use C.L.I.M.B Principle:

- C** : Choose the right equipment.
- L** : Look for damage or missing parts.
- I** : Implement a safe setup.
- M** : Move safely, always using 3 points of contact.
- B** : Be a climbing safety expert, not a statistic.



CHOOSING THE RIGHT LADDER FOR THE JOB

Ladders are such an everyday tool that many workers take them for granted. When purchasing a new one, it's important to ask yourself a few questions first to make sure you are selecting the right ladder for the job. Here are a few tips that can help:

Step 1 – Select the Proper Ladder Style

This is the first step in selecting the right ladder for you. Each style is designed with a different purpose in mind and to keep you safe when climbing or standing. Using the wrong type of ladder or not knowing its limitations can result in serious injury.

Step 2 – Select the Proper Height

There are certain guidelines you should adhere to when considering the height of your ladder. One of the most important things to consider is that the highest permitted standing level on a [stepladder](#) is two steps down from the top. The user should also only reach a maximum of 4' higher than the top of the ladder. The highest standing level for [extension ladders](#) is four rungs down from the top.

Step 3 – Select Performance (Duty Rating)

Every ladder is designed and to hold up to a maximum amount of weight. This figure refers to the combined weight of the user fully clothed with any materials or tools that may be carried on additionally. Each ladder is also built to withstand different levels of usage. A ladder designed for domestic use for example would differ in durability to one which is intended for use on a construction site for example. Both of these factors should be considered before making a decision on the right ladder for you.

Step 4 – Select the Right Material

The different materials in which ladders are designed are not for aesthetic purposes, rather with different environments and uses in mind. Those working outdoors or in contact with certain chemicals for example will have certain considerations to make.

The team at Alco Ladders are on hand to help you select the right ladder for your needs. They are able to offer informed advice and recommend the safest options, taking into consideration all the latest health and safety advice.



SELF SUPPORTING DOUBLE SIDE BIG TOP LADDER



Features

- Non slip corrugated steps and platform on top
- Highly convenient and can be used for long time
- Light in weight, tough, durable, sturdy and safer to climb
- High quality anti-skid PVC shoes provided, so that no scratches on floor and slips
- Ideal for house hold uses, electricians, plumbers, cable TV operators etc
- Anodized and powder coated quality available

Specifications

Sides: Channel section of size 55mm x 22mm
Steps: Channel section of 52.5mm x 23mm
Top: Male/Female section of 330mm x 240mm
Load rating: 150 Kg.

Height available: 0.91m to 3.65m

SELF SUPPORT SUPER STRONG LADDER



Features


- 3" wide sides & corrugated aluminium step for better working
- Non slip corrugated steps and platform on top
- Highly convenient and can be used for long time
- Light in weight, tough, durable, sturdy and safer to climb
- High quality anti-skid PVC shoes provided so that no scratches on floor and slips
- Ideal for house hold uses, electricians, plumbers cable TV operators etc
- Anodized and powder coated quality available

Specifications

Sides: Channel section of size 76mm x 20mm
Steps: Channel Section of size 74mm x 28.5mm
Top: Male/Female section of 330mm x 240mm
Load rating: 150 Kg.

Height available: 1.22m to 6.09m

BLACK LIFTING LADDER (Self Supporting/ Wall supporting)



Features

- 3" wide corrugated aluminium steps for better working
- Anodized and powder coated quality available
- Ladder can be used as self support & wall support
- (Lift the supporting side upside and lock)
- Highly convenient and can be used for long time
- Light in weight, tough, durable, sturdy and safer to climb
- High quality anti-skid PVC shoes provided, so that no scratches on floor and slips
- Ideal for household uses, electricians, plumbers, cable TV operators etc

Specifications

Sides: Channel section of size 76mm x 20mm

Steps: Channel section of 74mm x 28.5mm

Back: Channel section of 66.5mm x 31.75mm / 1" fluted pipe

Load rating: 150 Kg.

Height available is 1.52m, 1.82m & 2.14m

SELF SUPPORTING AMERICAN LADDER



Features

- Designed specially for domestic purpose
- Provided with a 13" x 13" Larger platform on top and arch for working safely, especially for ladies
- Non slip wide steps provided
- Highly convenient and can be used for long time
- Light in weight, tough, durable, sturdy and safer to climb
- High quality anti-skid PVC shoes provided, so that no scratches on floor and slips.
- Anodized and power coated quality available
- Nylon clips and side caps fitted

Specifications



Sides: 40mm x 20mm rectangular tube

Steps: Channel Section of size 80.5mm x 34.6mm

Load rating: 150 Kg.

Height available is 1.52m, 1.82m & 2.14m

STRAIGHT PIPE STEP LADDER



Features

- Highly convenient and can be used for long time
- Light in weight, tough, durable sturdy and safer to climb
- High quality Rubber shoes provided, so that no scratches on floor and slips
- Ideal for house hold uses, electricians, plumbers, Maintenance field, cable TV operators etc.

Specifications

Sides: Channel section of size 66.5mm x 31.75mm

Steps: 1" Fluted pipe section

Load rating: 150 Kg.

Height available is 1.82m to 6.09m with 2mm, 2.9mm

3.18mm & 4mm thickness

STRAIGHT FLAT STEP LADDER



Features

- Highly convenient and can be used for long time
- Flat steps provided for easy and long time working
- Light in weight, tough, durable sturdy and safer to climb
- High quality rubber shoes provided so that no scratches on floor and slips
- Ideal for house hold uses, electricians, plumbers, maintenance field, cable TV operators etc.

Specifications

Sides: Channel section of size 66.5mm x 31.75mm

Steps: 1" Fluted pipe section

Load rating: 150 Kg.




Height available is 1.82m to 6.09m with 2mm, 2.9mm

3.18mm & 4mm thickness

MULTI-FOLDING LADDER (MFL)



ALCO



Features

- Confirms to safety standards
- Foldable, light weight design
- Saves space at home or workplace
- Aluminium Ladder with safe lock hinges.
- Twin stabilizing bars featuring rubber anti-skid shoes.
- Platforms provided for convenience when in use.

Specifications

Straight Height: 15.5 ft -- 11.5 ft

Folding Height: 7.5 ft – 5.5 ft

Scaffold Height: 4 feet – 3 ft

Loading 150 Kgs.

Height available is 4 steps & 3 steps

CHAIR CUM LADDER




Features

- Made of High-quality Aluminium.
- Specially designed to be used as a chair and ladder.
- Ideal for use in homes, offices, hospitals & libraries.
- Stable, sturdy and foldable for convenience in storing and carrying.
- Shoes provided for anti-skid.
- Designed to provide support for the back when using as a chair

Height available is 91.44 cm to 121.92 cm

TROLLEY CUM LADDER



Features

- Aluminium Ladders with multiple benefits.
- It is light weight & has wheels which help in Kitchen and garden works.
- Can be used as trolley materials at home, workplace and gardens.
- Provided with wide steps for convenience.
- High quality fibre sheets provided for easy maneuvering.

SINGLE-FOLDING LADDER (SFL)

ALCO



Features

- Confirms to safety standards
- Sturdy, Foldable & Convenient
- Used in Household, Workplaces & Industries
- Saves space, easy to store
- Aluminium Ladder with safe lock hinges
- Thin stabilizing bars featuring rubber anti-skid shoes

Height available is 6+6, 8+8

NEW AMERICAN SELF SUPPORTING DOUBLE SIDE LADDER



Features


- Designed for domestic & commercial purpose, especially suited for showrooms.
- Non slip wide steps with additional grip ensures anti skip in wet conditions too.
- Light in weight, tough, durable, sturdy and safe to climb.
- High quality heavy duty anti skid PVC shoes provided to ensure no scratch on the floor and avoid slips.
- Anodized and powder coated quality available.
- Nylon clips and side clips fitted.

Specifications

Sides: 40mm x 20mm rectangular tube
Steps: Channel Section of size 80.5mm x 34.6mm
Load rating: 150 Kg.

Height available is 1.52m, 1.82m & 2.14m

WALL SUPPORT EXTENDABLE LADDER



Features


- Made from high tensile aluminium alloys
- Designed specifically to meet the requirement of all industrial maintenance
- Provided safety locks, rope, pulley and high quality rubber shoes on the top and the bottom
- Light in weight, tough, durable sturdy and safer to climb
Extends smoothly and the lock adjusts intermediately between the steps
- Extension by pulley & rope with self lock bar which is adjustable at any interior step
Ideal for Industrial units, Play grounds, Refineries, Ship yards Churches, Temples, Mosques and Multi -storied buildings for cleaning and maintenance purposes

Specifications

Sides: Channel section of size 66.5mm x 31.75mm
Steps: 1" fluted pipe section
Thickness: 2mm, 2.9mm, 3.18mm & 4mm available
Load rating: 150 Kg.

Height available From 4.87m to 14.64m

SELF SUPPORT EXTENDABLE LADDER



Features

- Designed specifically to meet requirement of all Industrial Maintenance
- Provided with safety locks, tool tray, fitter platform, rope , pulleys etc
- Mounted on MS wheelbase with 4 Nos of 8" dia nylon wheels to provide flexible and moveable operations
- It can be extended upto required height and can be closed and folded very easily
- Extends smoothly and the lock adjusts intermediately between the steps
- Particularly made for heavy works at remarkable heights
- Light in weight tough, durable sturdy and safer to climb
- Highly convenient and can be used for long time
- Extension by pulley & rope with self lock bar which is adjustable at any interior step
- Ideal for Industrial Units, Play Grounds, Refineries etc.

Specifications

Sides: Channel section of size 66.5mm x 31.75mm
Steps: 1" fluted pipe section
Thickness: 2mm, 2.9mm, 3.18mm & 4 mm available
Load rating: 150 Kg.

Height available: 4.87m to 14.64m

TILTABLE TOWER EXTENDABLE LADDER



Features



- Designed specifically to meet the requirement of all Industrial Maintenance
- Provided with safety locks, tool tray, fitter platform at 3ft from top etc.
- Mounted on MS trolley with 4Nos 12"/16" dia nylon wheels to provide easy maintenance operations
- This ladder is fabricated in two or three sections which can be tilted from 90° vertical position to 0° horizontal position to pass through small entrance or low gates
- Particularly made for heavy works at remarkable heights
- Telescopic winding is through a steel rope system controlled by manual winch gear machine
- Two winches will be provided as one for extension purpose and another for tilting purpose
- We can avail electric gear winch system also
- Highly convenient and can be used for long time

Specifications

Sides: Channel section of size 66.5mm x31.75mm
 Steps: 1" Fluted pipe section
 Top: 3.18mm & 4mm available
 Load rating: 150 Kg.

Height available: 4.87m to 18.28

TREE CLIMBING LADDER



Features

- Highly convenient and can be used for long time
- 1" Corrugated fluted pipe steps provided for easy and long time working
- Light in weight tough, durable sturdy and safer to climb
- Leg supporting PVC caps provided on steps
- Can be slanted 90 degree both sides from bottom stand
- Ideal for tree climbing like coconut, betelnut, black pepper, betels, rubber tapping etc
- Nylon rope provided for easy climbing

Specifications

Sides: 3" dia aluminium pipe
 Steps: 1" corrugated fluted pipe
 Bottom: Solid powdered coated MS base
 Top: Solid power coated MS support
 Load rating: 150 Kg.

Height available is 2.43m, 3.04m, 3.65m, 4.57m & 6.1m

STRAIGHT FLAT NEW TYPE LADDER



Features


- Highly convenient and can be used for long time
- 3" sides and 3" corrugated flat steps provided for easy and long time working.
- Light in weight, tough, durable, sturdy and safer to climb
- High quality rubber shoes provided, so that no scratches on floor and slips.
- Ideal for house hold uses, electricians, plumbers, maintenance field, cable TV operators etc.
- Covered with high quality PP cover

Specifications

Sides: Channel section of size 76mm x 20mm
 Steps: Channel section of size 74mm x 28.5mm
 Load rating: 150 Kg.

Height available: 1.82m to 4.82m

HARVEST LADDER



Features

- Highly convenient and light weight, Easy to carry
- High quality, Fiber steps provided for proper grip and comfort while climbing
- Durable sturdy and stability fittings provided at the top & bottom
- High quality Aluminum used
- Innovative product, Farmer friendly
- Ideal for tree climbing like coconut, betelnut, black pepper, betels, rubber tapping etc.
- Connector available for increasing heights (Maximum height of 30 feet by using connector)

Height available is 3.04m, 6.1m

FRUIT PLUCKER



Features

- Highly convenient and it can be used for long time.
- Light weight and easy to carry
- 1" powder coated pipe provided for easy handling.
- Light weighted, durable, sturdy and safe. High quality,
- Durable sturdy and stability fittings provided and high quality Aluminum used
- Innovative product, Farmer friendly

Height available is 3.65m, 1.82m & 1.22m



37
years
**OF MANUFACTURING
EXPERIENCE**

ALCOTM
LADDERS

Nediyuzhathil Building | Muthoor PO | Ramanchira | Thiruvalla | Kerala | Pin 689107
T: +91 0469 2634672 | 2631204 , 05 | 2631773 | 93 889 53440 | E: aac.tvla@gmail.com
www.alcoladder.com | www.alcoladders.com